

**ACTION SHEET
ITEM FROM FINANCE COMMITTEE MEETING OF 03/21/16
FOR CITY COUNCIL MEETING OF 03/30/16**

ISSUE:

26. Request for Approval of Procurement Under Cooperative Price Agreement – 2016 Ambulance Type III Ford E350 for Fire Department; Southwest Ambulance Sales, LLC. (Jan Snyder)

FINANCE COMMITTEE ACTION:

Approved as discussion item.

FUNDING SOURCE:

SPECIAL CONDITIONS OR AMENDMENTS

STAFF FOLLOW-UP:

VOTE	FOR	AGAINST	ABSTAIN
COUNCILOR VILLAREAL	X		
COUNCILOR IVES	X		
COUNCILOR LINDELL		X	
COUNCILOR HARRIS	X		
CHAIRPERSON DOMINGUEZ			

4-13-15

City of Santa Fe, New Mexico

memo

DATE: February 3, 2016
TO: Public Safety
Finance Committee
City Council
FROM: Jan M. Snyder, Assistant Fire Chief 
SUBJECT: Purchase of a New Ambulance
VIA: Erik J. Litzenberg, Fire Chief 
CC: Robert Rodarte, Purchasing Director

The City of Santa Fe Fire Department would like to purchase a new ambulance using the BID process and specification list established by the Houston-Galveston Area Council (HGAC) cooperative purchasing agreement using our State Fire Protection Funds, 22208.570950.

The vehicle will be a 2016 Medix Type III Ford E350 advanced life support (ALS) capable ambulance purchased from Southwest Ambulance Sales, LLC. We are purchasing this ambulance to replace an older one and maintain consistency with our Emergency Apparatus & Vehicle Fleet Plan while improving our capabilities to the community we serve.

The ambulance that we will be replacing is a 2011 Ford Type III ambulance, Vin #1FDWE3FS1BDB20385 - Asset #54433 that has over 54752 miles. It will be placed into a reserve status and provide an adequate back-up and additional medical unit as the Department implements future plans and programs.

The price for this vehicle is \$122,457.78 and we have attached a copy of the Medix specification sheet and HGAC pricing worksheet for your review. Our current State Fire Protection Fund balance for line 570950 is \$137,692.22.

We are requesting your approval of this purchase, budget adjustment (BAR) and passing the consideration on to the governing body.

If you have any questions, you may contact me at (505) 955-3121.

Attachments: (4) HGAC Pricing Agreement
Medix Vehicle Specs
Approval from NMSFMO
Memo approved by City Manager

CITY OF SANTA FE PROCUREMENT CHECKLIST

Contractor Name: Southwest Ambulance Sales, LLC

Procurement Title: Houston-Galveston Area Council (HGAC)

Solicitation RFP/RFB#: AM10-14

Other Methods: State Price Agreement Cooperative Sole Source Exempt Other

Department Requesting/Staff Member: Fire Department / AC J. Snyder

Procurement Requirements:

A procurement file shall be maintained for all contracts, regardless of the method of procurement. The procurement file shall contain the basis on which the award is made, all submitted bids and proposals, all evaluation materials, score sheets, quotations and all other documentation related to or prepared in conjunction with evaluation, negotiation, and the award process. The procurement shall contain a written determination from the Requesting Department, signed by the procurement officer, setting forth the reasoning for the contract award decision before submitting to the Committees.

SOLICITATION*

- | YES | N/A | |
|--------------------------|-------------------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | Project Beginning History (council requests etc) |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Budget Determination (FIR) attach |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Solicitation document (RFP, IFB), |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Screen print of legal solicitation published in newspapers, web sites, etc.: |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Screen print of addendum(s) published on the IPB/RFP: |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Pre-Bid/Pre-Offer Conference attendance sheet and other documents |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | If canceled, screen print of cancellation of solicitation notice |
| <input type="checkbox"/> | <input type="checkbox"/> | Other: _____ |

EVALUATION*

- | YES | N/A | |
|--------------------------|-------------------------------------|---|
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Blank evaluation form |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Evaluator's names and profiles |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Evaluation procedures or evaluation instructions |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Conflict/Confidentiality Forms signed by all Evaluators, Technical Advisors, Reviewers, and any person who assists in regard to the bid/proposal, evaluation and/or award |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Bid or Offer opening sheet(s) (If RFP, then two offer opening sheets, one for technical and one for cost) |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Screen print of Bidder/Offeror's detailed information |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Responsiveness review sheet or other sheet documenting responsiveness for each Bidder/Offeror, attach requests for additional information to cure items |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Non-Responsive/Non-Responsibility Form and correspondence or letters from Department to vendor regarding disqualifications |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Oral presentations (sign-in sheets, presentation materials, etc.) |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Documentation sent to Bidders/Offerors and responses received regarding clarifications, decisions, negotiations, and/or best and final offers, etc. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Reference Reviews/Reference Check Questionnaires |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Individual evaluations included for each RFP. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Pricing evaluation |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Final overall evaluation matrix or summary of evaluator scores |
| <input type="checkbox"/> | <input type="checkbox"/> | Other: _____ |

AWARD*

YES N/A

- Fully executed Memo to Committees from the Department with recommendation of award
- Winning proposal (this is a copy that has all confidential/proprietary information excluded)
- Screen print of Contract Award Notice
- Screen print of Award Notice published on agency website
- Email or notification sent to all Bidders/Offerors that award was made
- Waiver or "No Action Taken" from Procurement Office
- Correspondence with Procurement Office regarding waiver
- If IFB and not awarded to lowest responsive, responsible bidder; written explanation
- Other: _____

DISCLOSURES

YES N/A

- Contractor Disclosures & Conflicts of Interest**
- Disclosures & Conflicts of Interest Form(s) (winning bidder(s)/offeror(s))
- Contractor –Conflicts of Interest**
- Purchasing Office Letter or e-mail to designated individual regarding potential conflict
- Conflict of Interest Form signed by all parties
- Letter from Procurement Office regarding the potential conflict
- Subcontractor Disclosures**
- Disclosures & Conflicts of Interest form of Subcontractor(s)
- Subcontractor –Conflicts of Interest**
- Purchasing Officer Letter or email to designated individual regarding potential conflict
- Conflict of Interest form signed by all parties
- Letter from Legal Office regarding the potential conflict
- Other: _____

CONTRACT

YES N/A

- Copy of Executed Contract
- Copy of all documentation presented to the Committees
- Finalized Council Committee Minutes
- Other: _____

MISCELLANEOUS FILE*

YES N/A

- Local Preference Form
- New Mexico Residence Form
- Veterans Exemption
- Sole Source determination form approved by Procurement Officer
- Exempt determination memo approved by Procurement Officer
- Other: _____

Include all other substantive documents and records of communication that pertain to the procurement and any resulting contract.

*

PROTEST (If applicable)*

YES

N/A

Documentation from protester filed with the Purchasing Office

Letter from Department to Purchasing Office Providing response to protest

Letter from Purchasing Officer to protester and Department on final outcome

Other: _____

Create a separate file folder which may contain any documents with trade secrets or other competitively sensitive, confidential or proprietary information.

YES


N/A


Original bid(s) or proposal(s) with no redactions.

Documentation exempt - Proprietary, Confidential, Competitively Sensitive, or Trade Secret (i.e. e-mails, proposals, letters)

AC J. Snyder

Department Rep Printed Name and Title


Department Rep Signature attesting that all information included

 3/9/18
Purchasing Officer attesting that all information is reviewed

City of Santa Fe, New Mexico

memo

DATE: February 3, 2016
TO: Brian Snyder, City Manager
FROM: Jan M. Snyder, Assistant Fire Chief 
SUBJECT: Purchase of a New Ambulance
VIA: Erik Litzenberg, Fire Chief
CC: Robert Rodarte, Purchasing Officer

The City of Santa Fe Fire Department would like to purchase a new ambulance using the BID process and specification list established by the Houston-Galveston Area Council (HGAC) cooperative purchasing agreement using our State Fire Protection Funds, 22208.570950.

The vehicle will be a 2016 Medix Type III Ford E350 advanced life support (ALS) capable ambulance purchased from Southwest Ambulance Sales, LLC. We are purchasing this ambulance to replace an older one and maintain consistency with our Emergency Apparatus & Vehicle Fleet Plan while improving our capabilities to the community we serve.

The ambulance that we will be replacing is a 2011 Ford Type III ambulance, Vin #1FDWE3FS1BDB20385 - Asset #54433 that has over 133356 miles. It will be placed into a reserve status and provide an adequate back-up and additional medical unit as the Department implements future plans and programs.

The price for this vehicle is \$122,457.78 and we have attached a copy of the Medix specification sheet and HGAC pricing worksheet for your review. Our current State Fire Protection Fund balance for line 570950 is \$137,692.22.

If you have any questions, you may contact me at (505) 955-3121.

Approved:

Disapproved:


Brian Snyder, City Manager

Brian Snyder, City Manager

Attachments: (0)



City of Santa Fe Fire Department

P.O. Box 909, 200 Murales Road – Santa Fe, New Mexico 87504
(505) 955-3110 – FAX (505) 955-3115

February 16, 2016

New Mexico Public Regulation Commission
State Fire Marshal's Office – Fire Service Support Bureau
PO Box 1269
Santa Fe, NM 87504-1269

Mr. Randy Varela:

The City of Santa Fe Fire Department would like to purchase a new ambulance using the BID process and specification list established by the Houston-Galveston Area Council (HGAC) cooperative purchasing agreement using our State Fire Protection Funds.

The vehicle will be a 2016 Type III Ford E350 advanced life support (ALS) capable ambulance. We are purchasing this ambulance to replace an older one and maintain consistency in our fleet while improving our capabilities to the community we serve.

The price for this vehicle is \$122,457.78 and we have attached a copy of the Med specification sheet and HGAC pricing worksheet for your review. Our current State Fire Protection Fund balance is 374,700.00.

We look forward to hearing from you with permissions to purchase this new ambulance. If you have any questions, you may contact me at (505) 955-3121.

Sincerely,

A handwritten signature in black ink, appearing to read "Jan M. Snyder".

Jan M. Snyder
Assistant Fire Chief

Attachments (2) HGAC Pricing Worksheet
 Med Specification Sheet

NEW MEXICO PUBLIC REGULATION COMMISSION

COMMISSIONERS

DISTRICT 1 KAREN L. MONTOYA, VICE CHAIR
DISTRICT 2 PATRICK H. LYONS
DISTRICT 3 VALERIE ESPINOZA, CHAIRPERSON
DISTRICT 4 LYNDA LOVEJOY
DISTRICT 5 SANDY JONES



P.O. Box 1269
1120 Paseo de Peralta
Santa Fe, NM 87504-1269

STATE FIRE MARSHAL DIVISION

John C. Standefer, Fire Marshal
1-800-244-6702 (In-state only)
(505) 476-0174
Fax: (505) 476-0100

INTERIM ACTING CHIEF OF STAFF

Andrea Delling

February 23, 2016

Jan M. Snyder Assistant, Fire Chief
City of Santa Fe, Fire Department
P.O. Box 909
Santa Fe, New Mexico 87504

Assistant Chief Snyder:

The letter you submitted on February 17, 2016 for the purchase of a Class a ambulance has been reviewed and approved. The City of Santa Fe Fire Department is authorized to use fire protection Fund monies for this ambulance. **You shall meet the NFPA 1917 Standard for Automotive Ambulances 2016 Edition.**

This letter shall serve as approval to expend fire protection fund monies to finance the cost of the Ambulance. The City of Santa Fe Fire Department is currently and ISO rating of 4 with a minimum yearly Fire Protection Fund Allocation of \$527,258.00

If you anticipate a loan, I recommend that you contact the New Mexico Finance Authority (NMFA) at 505-984-1454 to finance the Ambulance. A loan through NMFA will be at minimal interest. This letter shall serve as authorization for you to enter into an agreement with NMFA for the commitment of fire protection fund monies.

If there are any major changes in the specifications that are made prior to bidding procedures, this office must approve the changes or this authorization of expenditure shall be rendered null and void.

For future references, please be reminded that all purchases shall be accomplished in accordance with the policies and guidelines of your governing body, the provisions of the Public Purchase Act, and as approved by the New Mexico Department of Finance and Administration.

If you have any questions with please do not hesitate to contact me at 505-690-9312.

Sincerely,

A handwritten signature in cursive script that reads "Randy J. Varela".

Randy J. Varela
Fire Department Inspector

1 888 4 ASK PRC
www.nmprc.state.nm.us



Working for You!

City of Santa Fe

HGAC AM10-14

Published Options

- 200011 – Air horns, Buell dual 10" horns thru front bumper, foot switch, compressor, tank, fittings – Ford only **\$2,000**
- 200080 – Compartment: On 150 body, ¾ height, SS rear, with NO in/out access, no shelf **\$938**
- 200100 – Add compt #7 aft of CS wheel well on 150 body **\$500**
- 200200 – power door locks: all entry and compt doors, wired to OEM door lock system **\$938**
- 200230 – power door locks: stealth switch **\$81.25**
- 200280 - Shelf, adjustable aluminum, exterior compartment 2 x \$169 = **\$338**
- 300010 - Lights, brake/tail, turn, back-up: Whelen 7x3 LED pkg, ILOS **\$428.75**
- 300050 - Lights, turn arrow: Whelen 7x3 Amber LED, Front IATS **\$210**
- 400005 - Battery switch: TST CDR-357-ILOS Cole Horsee **\$485**
- 400020 - 12 VDC charging plug, cigar style, IATS 2 x \$55 = **\$110**
- 4000095 - Dome light: Whelen LED ILOS 8 x \$178.75 = **\$1,430**
- 400100 - Duplex outlet, 125 VAC IATS 2 x \$94 = **\$188**
- 400160 - Inverter, Vanner 20-1050CUL – 1000 watt, remote control w/switch in rear panel **\$1,500**
- 400230 - Shoreline: Auto eject, 125 VAC, 20-AMP, 60 Hz straight blade inlet w/hinged, weatherproof cover ILOS **\$313**
- 400260 - Timer, rotary style **\$56**
- 500114 - All LED light package – Ford, Chevy Type III models only **\$3,300**
- 500210 - Light, warning, Whelen 7x3 LED, red IATS 2 x \$188 = **\$376**
- 500410 - Chrome flange on warning lights 23 x \$19 = **\$437**
- 500490 - Siren, Whelen HFSA1 control head – ILOS **\$125**
- 600070 - Electric oxygen with manual bypass **\$494**

City of Santa Fe

HGAC AM10-14

Published Options

800040 - Action area overhead cabinet: full height, full depth,w/1 adjustable shelf – ILOS \$313

800060 - Radio console with map pocket, located on floor behind ABS console between seats \$369

800080 - cargo nets, quick-release, ALS open shelves (3) \$263

800165 - Wise tech seat w/child restraint system: rear facing auto style chair with Type II lap/shoulder belt mounted on steel base w/side access thru hinged, latching door - ILOS \$488

800170 - Glove box holder, 3 slots \$219

800190 - Locking drug box \$156

900065 - cot mount: Stryker \$250

TOTAL: \$16,306

City of Santa Fe

HGAC AM10-14

Unpublished Options

Chassis Model Year Increase to 2016 chassis **\$1,111.50**

Misc Parts -- replacement **\$1,683.67**

Wheel covers -- stainless steel with valve extenders **\$380**

Custom console **\$575.61**

Howler Siren **\$1,100**

Stryker Power pro Cot **\$14,192**

TOTAL: \$19,042.78

Chassis Model Yr	2016	
MEDIX Model	Metro Express 150 Type III	
CHASSIS	Ford E-350 XL Cutaway, 6.8 L V-10 Gas, 138" WB, 11,500 GVWR	
BODY	150"L x 94" W x 70" Interior Headroom	
QTY	STD/OPT	Description
1	16-3000-FG	Chassis & Conversion
01- Flooring & Interior Colors		
1	STD	Cabinets: Laminated Wood- (Specify Color) Color: GRAY
1	STD	Upholstery: (Specify Color) Color: Gunmetal Brand: EVS
1	STD	Flooring: Mannington Insight+ #6612, Gray
02- Body & Chassis		
1	STD	All Exterior compartments coated with light gray colored Herculiner material.
	Note Weld Shop	See Front Wall print for additional turn light locations.
1	STD	Walk-Thru w/Sliding Door. Slides behind driver's seat
1	STD	Fender Flares: Black Rubber
1	STD	Compartment Lights: Optronics ILL36CB LED Compartment lights- ALL Models
		Locate: (1) Ceiling of Compt #1; (2) in Compt #2- (1) URH, (1) LLH; (1) in ceiling of Compartment #3; (2) in Compt #4/5; (1) in Compt #6; (1) in Compt #7 (if ordered)
1	OPT	Compartment Light: Additional (1) Optronics ILL36CB LED Compartment light in compartment #3 to light below shelf.
1	200011	Air Horns, Buell dual horns through front bumper, momentary switch on front console, compressor, tank, fittings- Ford Only. Make sure to order (1) 10" and (1) 12" airhorn. Note: Extend air inlet 3" away from compressor.
		Locate: Compressor: Ceiling of Compartment #2, next to the vac pump, to the left of the inverter.
1	STD	Compartment #1 SS Forward: <u>Smooth Aluminum</u> body, <u>ADP interior door panel</u> , O2 "M" cylinder storage for STEEL tank, Door w/rubber socket/nylon ball hold-open.
1	STD Modified	Compartment #2 SS Center: <u>Smooth Aluminum</u> body, <u>ADP interior door panel</u> , Open Storage, Door w/gas strut hold-open. (DELETE STANDARD Seat Belt Strap)
1	200280	Shelf, Adjustable Aluminum, Exterior Compartment
		Locate: Compartment #2
1	DEL	DELETE STANDARD Compartment #3 SS Rear: <u>Smooth Aluminum</u> body, <u>ADP interior door panel</u> , Mid-height open storage. Door w/gas strut hold-open.

1	200080	Compartment #3: On 150 Body, 3/4 Height, SS Rear, with NO Inside/Outside Access, Does not include shelf
1	200280	Shelf, Adjustable Aluminum, Exterior Compartment
		Locate: Compartment #3. Shelf to be adjustable from Floor to Ceiling.
2	STD	Rear Entry Doors: Single piece laminated smooth aluminum door liner w/stainless steel center panel for black paddle handles; ADP kick panels.
1	STD Modified	Compartment #4/5 CS Forward: NO body above floor, ADP interior door panel, ALS Cabinet w/ Inside/Outside access, Full-height, single Door w/rubber socket/nylon ball hold-open, DELETE STANDARD gas strut hold-open. Bottom section smooth aluminum body w/roll-out battery tray w/removable, latching door.
1	STD	Curbside Entry Door: Single piece, laminated smooth aluminum door liner w/stainless steel center panel for black paddle handles; ADP kick panels. Gas strut door hold-open. Smooth aluminum stepwell w/Dri-Dek insert.
1	STD	Compartment #6 CS Rear: Smooth Aluminum, Vertical backboard storage w/2 belts. Door w/ rubber socket/nylon ball hold-open.
1	200100-150	Add- Compartment #7 aft of Curbside Wheel Well on 150 Body- Smooth Aluminum body, Open Storage, single door w/rubber socket/nylon ball hold-open. Sealed access to paddle handle in door edge. (1) LED light in ceiling.
1	200200	Power Door Locks: All Entry and Compartment Doors, wired to OEM door lock system (Does not include additional lock switches inside module)
1	99-0678	Stealth Switch for Power Door Locks System, Push Button Switch (Grille bracket: Ford 33-102402)
		Locate: Driver's side front grille
1	STD	All Entry Door paddle handle and rotary latching components meet the FMVSS 206 30G Test Requirement
1	STD	Rear Bumper: ADP corner pods w/ rubber Dock bumper pads, Center grip-strut flip-up step, powder coated steel frame
2	STD	IV Hangers: (2) Cast black rubber fold-down over knee area of Cot and Squad Bench
4	OPT	Stainless steel wheel covers w/valve extenders
4	STD	Stone Guards, lower body corners, ADP
1	STD	Rub Rails, C-Channel, tapered ends, Lower Body off-set mount with neoprene spacers.
3	STD	Mirrors, OEM: (1) each cab door, (1) on interior windshield
2	STD	Running Boards, formed ADP with front splash guards
2	STD	Cast aluminum fuel fill bezel
1	STD	Undercoating: Per QVM Guidelines
03- Brake, Turn & Back-Up Lights		
1	300010	Lights, Brake/Tail, Turn, Back Up: Whelen 7x3 LED Pkg, ILOS
1	STD	DOT Marker Lights: Optronics LED, rubber grommet bezels; (7) MCL11CAB Amber- (5) on front of body as Marker lights, (2) side facing on rear extrusions as Turn Signals; (7) MCL11CRB Red- (5) on rear of Body as Marker lights, (2) side facing as Turn Signals.
2	300050	Lights, Turn Arrow: Whelen 7x3 Amber LED, Front IATS
		Locate: Below outboard 7x3 Red LED Warning Lights

04- Electrical, Power Distribution, Control Center & Interior Lighting		
1	STD	Battery Switch, Automatic: TST CDR-357. Located in Electrical Cabinet.
2	STD Modified	Antenna, Radio Coax Cable terminated at <u>front console</u> w/Power & Ground for each- all ends to have 3-ft tails, (1) Constant Hot, (1) Battery switch Hot
8	99-0522	Dome Light: Whelen LED, 18-diodes w/chrome flange MX80EHZA , 2-banks of four (4) lights switched separately with Hi/Lo functions- ILOS
1	STD	Action Area Light: Whelen PSC0ADCR, 12 VDC LED Strip light, 6 diodes and On/Off switch on rear control panel
1	400230	Shoreline: Auto Eject, 125 VAC, 20-Amp, 60 Hz straight-blade inlet w/hinged, weatherproof cover- ILOS
1	400160	Inverter, Vanner 20-1050CUL- 1000watt, remote control w/switch in rear panel
		Locate: On ceiling and back wall of Compartment #2, right hand side of compartment - See Photo of last unit 12-3104.
1	400260	Timer, Rotary Style
		Locate: In standardized position on Curbside Wall
1	STD	Timer: 5-minute check-out, wired to CS Hight mode dome lights
2	STD Modified	12 VDC Outlets: Delete (1) in Action Area, Move to lower RH corner of Cabinet "A" (for customer to plug in their IV Warmer), (1) in ALS Cabinet - the ALS outlet will need to be in a surface mount style box due to the divider-track wires on back side of stair chair divider at top.
1	400020	12 VDC Charging Plug, cigar style- IATS
		Locate: Upper RH corner of Compartment #2 on back wall, below the inverter. This 12v outlet will be in a surface mount style box and will be mounted horizontally to the right of the 125v. Outlet. - To be Constant Hot.
2	STD	125 VAC Outlets, Duplex: (1) in Action Area, (1) in ALS Cabinet - the ALS outlet will need to be in a surface mount style box due to the divider-track wires on back side of stair chair divider at top.
2	400100	Duplex Outlet, 125 VAC- IATS
		Locate: (1) Curbside Wall at foot of Squad bench; (1) located in compartment #2 on back wall below inverter, in a surface mount style box and will be mounted horizontally to the left of the 12v. Outlet.
1	STD	Spotlight: 400,000 CP, hand-held, hardwired w/momentary On.Off switch, located in cab
1	STD Modified	Rear Switch Panel: Engraved black plastic panel with (14) LED lighted switch positions for Dome Lights (2), Vacuum (1), Bypass (1), Vent (1), A.A. Light (1), Inverter (1), AC/Heat (1), Fan Speed (1), <u>Spare switches</u> , Thermostat and digital clock w/Mode Buttons. <u>MX01516</u> .
1	STD	Front Console: Formed ABS body attached to engine cover. Switch panel with siren panel below

1	99-0660	Radio console with map pocket, located on floor behind ABS console between seats - Use Aluminum Add-On P/N: 44-A11380
1	STD	Electrical Cabinet: Located over pass-thru w/latching, recessed, vented door
1	400150	DELETE Standard Battery Charger (when adding Inverter with integral charger)
05- Warning Lights & Siren		
1	OPT	DELETE Front Wall Standard Halogen 9x7 Warning Lights.
6	500320	Light, Warning, Whelen 7x3 LED, Red- ILOS Lens Color: CLEAR Locate: Front of Body in <u>R-R-W-R-R-W-R-R</u> pattern. Outer (2) Red LEDs and (2) White LEDs flash on K-Spec flasher. Inner (4) Red LEDs wired to Light Bar switch on front console and flash independently.
2	99-0043	Light, Warning: Whelen 7x3 LED White Lens Color: CLEAR Locate: Front of Body in <u>R-R-W-R-R-W-R-R</u> pattern. Outer (2) Red LEDs and (2) White LEDs flash on K-Spec flasher. Inner (4) Red LEDs wired to Light Bar switch on front console and flash independently.
1	99-0706	Light, Warning: GTT Opticom Emitter #794H w/Emitter bracket and mounting hardware Locate: Front of Body centered below the (8) 7x3 LEDs in R-R-W-R-R-W-R-R pattern.
	NOTE	Wire Opticom to be "OFF" when vehicle transmission is in "Park".
1	99-0237	Opticom, Install w/switch in front console and wired to GTT Opticom
8	500280	Light, Warning, Whelen 9x7 LED, Red- ILOS Lens Color: CLEAR Locate: (2) each side in upper corners; (2) in upper rear corners; (2) Rear Mid-Body wired as Warning/Brake
1	500370	Light, Warning, Whelen 9x7 LED, Amber- ILOS Lens Color: CLEAR Locate: Center rear of Body
2	STD	Lights, Warning: Grille, LINZ6R Red LED w/flange on grille bar
2	500320	Light, Warning, Whelen 7x3 LED, Red- ILOS Lens Color: CLEAR Locate: Front fenders for Intersection Lights.
2	500210	Light, Warning, Whelen 7x3 LED, Red- IATS Lens Color: CLEAR Locate: Above each rear wheel well- Wire to Pri/Sec Modes
4	STD	Lights, Scene: 9x7 Halogen w/8-32 degree optics, (2) each side
2	STD	Lights, Load: 9x7 Halogen w/8-32 degree optics, (2) on rear
1	99-0106 Modified	Scene Lights: Front AND Rear side scene lights ON in Reverse; requires additional relay
33	500410	Chrome Flange on Warning Light Locate: ALL Warning, Scene and Tail Lights; (18) 7x3 & (15) 9x7

1	STD	Flasher- For Warning Light System, Vanner 9860GCPE
2	STD	Siren Speakers: Dual 100-watt drivers mounted through front bumper
1	500490	Siren, Whelen 295SLSA1 Control Head- ILOS
1	99-0354	Siren: Whelen Low Frequency "Howler" w/HWLRB4 bracket for Ford E-Series
06- Oxygen, Vacuum & Miscellaneous Items		
3	STD	Oxygen Outlets: Quick-connect style, (2) in Action Area, (1) over Squad Bench
1	STD Modified	Suction Aspirator System: DELETE STANDARD Rico disposable container w/gauge and quick-connect; GAST vacuum pump mounted on ceiling of Compartment #2, to the left of the inverter.
1	600110	Suction Aspirator System: SSCOR w/SS Bracket for container, electric pump- ILOS Rico System - DO NOT INSTALL CANISTER & BRACKET - SHIP LOOSE
		Locate: Gauge & Vac outlet on Action Wall panel below the switch panel- ILOS-to make room for the lifepak monitor on the far left hand side of action area countertop
1	STD	Oxygen Cylinder Retention: For "M" cylinder, black steel w/3-spring buckle straps and top collar, located in Compartment #1
1	STD	O2 Regulator, Amvex, 50psi, pre-set
1	600070	Electric Oxygen with manual bypass
		Locate: Below O2 outlets on Action Area panel.
07- AC/Heat		
1	STD	HVAC System: High capacity Free Blow combustion Heat-AC system, multi-speed fan and thermostatic control in Action Area. HVAC unit mounted in Front bulkhead above Tech Seat.
08- Cabinets, Hardware & Miscellaneous Items		
1	STD	Main Streetside Wall Cabinets: Specify desired configuration- Full Wall of Cabinets
		Main Wall Cabinets will have (1) adjustable shelf in each and sliding Lexan doors with full height extruded handles. See Prints for Configuration.
1	STD	Action Area Overhead Cabinet: <u>Single cabinet full-height/full-depth of Action Area</u> with sliding Lexan doors and full height extruded handles.
1	STD Modified	Action Area and <u>Switch Panel</u> : Laminated, sealed countertop and vertical panel with Suction system (collection canister to be shipped loose), Vacuum gauge, (2) Oxygen outlets, (1) Bypass, (1) 12VDC Outlet, and (1) 125VAC Outlet. <u>Switch panel includes (14) switch positions, Thermostat and digital clock w/Mode Buttons. MX01516</u>
	NOTE-special CNC	Move all components on the Action Area panel as far forward (to the right) as possible. Customer requires space for LifePak 12 in left hand area vacated by Suction System. See Print E, photo of previous unit 12-3104.
2	STD	Bulkhead Wall Cabinets: Electrical Cabinet above walk-thru w/hinged, latching, vented door; Cabinet above ALS

2	STD Modified	Bulkhead Cabinets: Upper cabinet- open storage w/hinged, latching door; Lower cabinet- open storage w/hinged, latching door, and location for inverter, LOCATE vacuum pump on ceiling of Compartment #2 ILOS
1	STD	Cabinet Above ALS: Open storage w/dual 1/2" Acrylic doors w/non-locking SouthCo round latches, (1) adjustable shelf.
1	99-0184	ALS Cabinet: ALL OPEN. Fixed divider 10" from bulkhead wall for Stair Chair storage; cut divider 7" back from exterior door opening; (3) adjustable wood, half-shelves on patient compartment side of divider, shelves to have chamfered ends on door side and HD edge trim- See Print and photos of previous unit 12-3104. Requires deleting of the gas-strut hold-open and using the ball socket hold-open.
1	800080	Cargo Nets, Quick-release, ALS Open Shelves (3)
		Locate: SHIP LOOSE (make sure to include fasteners)
1	OPT	Head Pad, 1' Increased Thickness
		Locate: Vertical face of head pad over Curbside Entry Door
1	99-0236	A-Bar <u>WITHOUT</u> Sharps/Waste Holders, 15" Wide; .250" Mounting plate. Requires squad bench assembly print different than standard.
		Locate: Head of Squad Bench
1	OPT	Locking Drug Box over head of Squad Bench. Cabinet to include space for standard O2 outlet on the left side of storage opening. Wood door will be hinged on the left side and will have a locking SouthCo rectangular latch and lanyard hold-open.- See Print and Photo from previous unit 12-3104.
		Installation of this cabinet requires customer to sign waiver of compliance with AMD Standard-025 Occupant Head Clearance Zone
1	STD Modified	Squad Bench: (Box out around compartment #7 inside squad bench & special backrest pad)
		1 Full length hinged lid w/TriMark latch for access to interior storage
		Full length upholstered seat cushion (DELETED Sharps/Waste Area); DELETE STANDARD 2 full width upholstered backrest cushion (will take a modified backrest to include the window in the wall)
		3 (2) Belted seating positions w/(3) long bottom straps for 2nd Patient restraint
1	DEL	DELETE STANDARD Sharps/Waste: Drop-in style w/Red polycarbonate hinged lid and standard containers, located at head of squad bench.
1	STD Modified	Cabinet, Rear Overhead: Cabinet over rear door opening w/glove storage ILOS sliding doors
1	800170	Glove Box Holder, 3-Slots
		Locate: In Rear Overhead Cabinet
1	800168	EVS Technician's Seat w/Child Restraint System; Rear facing automotive style chair with Type II lap/shoulder belt mounted on steel base- ILOS
1	800055	Assist Rail, 1.25" Stainless w/Radius Ends- ILOS. For 166, 150, RP-90 Models- 49-100754.
3	STD	Grab handle- stainless steel, mounted on each rear entry and curbside entry door

1	STD	Pole, Medical Equipment: Chrome pole mounted on inboard rear corner of Action Area shelf and extended to bottom of action area overhead
9	STD	Reflective Striping, Door Open Protection: .50" Red reflective striping around interior door pan of all body doors.
09- Cots & Miscellaneous Items		
1	900065	Cot Mount: Stryker 6377, Dual Position, Removable
		Specify Cot Model: Power Pro
10- Paint & lettering		
1	STD	Paint: Body all OEM White
1	1000100	Roof Star ONLY, INSTALLED
1	OPT	Grayson Graphics to supply and install graphics package per Santa Fe specifications - see quote
		Includes: (2) 6" Dark Red Reflective stripes, (4) 1/4" Black Reflective pinstripes; 6" Red Reflective Chevrons (no pin)
1	OPT	Lettering Package
		Includes: (1) 4.5" "MEDIC" on streetside of body; (1) 3" "MEDIC" on curbside of body; (1) 4" "MEDIC" on rear of body- all Red Reflective
		Lettering over cab and NMPRC, no black outline; (1) 16" SOL Blue Reflective.
1	OPT	Window Tint (One-Way looking out) w/Santa Fe Logo
		Locate: Curbside Window over Squad Bench
1	OPT	Window Tint, both rear entry door windows and side entry door window
SHIP LOOSE		
2	STD	5 lb. Fire Extinguisher- Ship Loose
2	600065	Bracket, O2 Cylinder, Portable, Medix M-14J w/mounting plate, for D-cyl or Jumbo D-cyl - SHIP LOOSE
	NOTE	SHIP LOOSE SSCOR Suction Canister
TOTAL ORDER \$123,891.00		

I have reviewed this Order and find it to be acceptable and ready to build.

 Dealer Signature Date: _____

I have reviewed this Order and find it to be acceptable and ready to build with the addition of the attached, approved changes.

 Dealer Signature Date: _____

Due to on-going product improvements and the changing requirements of the ambulance industry, MEDIX Specialty Vehicles, Inc. reserves the right to change product specifications and related products without prior notice and without any obligation to change prior products or parts. ALL PATENTS RIGHTS RESERVED.