



1 public view until the time when containers are placed at the curbside for city collection. In order to  
2 minimize garbage falling out upon collection and to keep containers clean, the city recommends  
3 that all garbage be bagged inside a customer owned or city provided container. Bags inside such  
4 containers are not required to meet any standard. Bags placed outside of a container shall meet  
5 requirements in paragraph A. above.

6 E. Customers shall place city provided refuse containers and recycling containers by  
7 curbside between the hours of 6:00 p.m. the night before the designated day of collection and 7:00  
8 a.m. on the day designated for collection. Refuse containers and recycling containers shall be  
9 removed from the curbside by 8:00 a.m. the day following the designated collection day.

10 F. Customers who receive automated collection shall place containers at a minimum  
11 of three feet (3') from any other object (mailboxes, walls, parked vehicles, etc.), including refuse  
12 bags, and recycling containers so that personal property or city equipment do not get damaged, or  
13 city collection personnel do not get injured. The customer shall place the container in an area which  
14 does not have any overhead obstacles (trees, utility lines).

15 G. Where a curb does not exist, refuse containers shall be placed on the property side,  
16 outside the traffic boundaries of the road. Carts shall be placed on a flat level surface. In other  
17 special situations outside of those described herein, the location in which refuse is placed for  
18 collection shall be determined by the city.

19 H. Bags shall be securely tied to avoid spillage. Cleaning of any spillage that occurs  
20 within public right-of-way as a result of improperly bagged or secured refuse or due to entry by  
21 animals shall be the responsibility of the customer.

22 I. Each refuse bag placed for collection shall not exceed fifty (50) pounds and shall  
23 not exceed thirty-three (33) gallon capacity. City provided containers shall not exceed two hundred  
24 (200) pounds in capacity.

25 J. Hypodermic needles shall be placed in a puncture proof container with a screw top

1 lid.

2 K. Items which do meet the conditions of this section shall remain the sole  
3 responsibility of the customer to dispose in accordance with this chapter.

4 PASSED, APPROVED, and ADOPTED this 27<sup>th</sup> day of July, 2022.

5

6

7

  
\_\_\_\_\_

8

ALAN WEBBER, MAYOR

9 ATTEST:

10

\_\_\_\_\_ 

12 KRISTINE MIHELIC, CITY CLERK

13 APPROVED AS TO FORM:

14

  
\_\_\_\_\_

16 ERIN K. McSHERRY, CITY ATTORNEY

17

18

19

20

21

22

23

24 *Bill No. 2022-16*

25 *Legislation/2022/Ordinances/2022-14 Changing Trash Set Out Time*