# City of Santa Fe, New Mexico

200 Lincoln Avenue, P.O. Box 909, Santa Fe, N.M. 87504-0909

*Javier M. Gonzales, Mayor*

Councilors:
Patti J. Bushee, Dist. 1
Signe I. Lindell, Dist. 1
Peter N. Ives, Dist. 2
Joseph M. Maestas, Dist. 2
Carmichael A. Dominguez, Dist. 3
Christopher M. Rivera, Dist. 3
Ronald S. Trujillo, Dist. 4
Bill Dimas, Dist. 4



RECEIVED
OFFICE OF STATE ENGINEER
SANTA FE NEW MEXICO
DATE 5-10-16


Mrs. Mary Young
OFFICE OF THE STATE ENGINEER
P.O. BOX 25102
SANTA FE, N.M. 87504-5102

Re: Diversion Report for April 2016

Dear Mrs. Young:

Submitted for your information is the following water supply data for the Santa Fe water system. All information is reported in millions of gallons and meter readings are for the end of the month.

CITY WELLS

| Permit # | | M.G. | Ac.Ft. | Meter |
|---|---|---|---|---|
| RG-1113 | Alto | 0.000 | 0.00 | 77765 |
| RG-1115 | Torreon | 3.288 | 10.09 | 138859 |
| RG-1116 | Ferguson | 0.000 | 0.00 | 77419 |
| RG-1117 | Santa Fe | 0.000 | 0.00 | 66130 |
| RG-1118 | Agua Fria | 0.000 | 0.00 | 412659 |
| RG-68302 | Northwest | 0.000 | 0.00 | 434115 |
| RG-81092 | Santa Fe Remediation | | | 76616 |
| | TOTAL CITY WELLS | 3.288 | 10.09 | |
| SURFACE SUPPLY | | | | |
| 01278/1677 | Treatment Plant | 14.354 | 44.05 | 398924 |
| RG-304 | St. Michaels | 0.000 | 0.00 | 142996 |
| | TOTAL SURFACE | 14.354 | 44.05 | |
| BUCKMAN WELLS | | | | |
| RG-20516-S | Buckman #3 | 0.000 | 0.00 | 116126 |
| RG-20516-S-2 | Buckman #4 | 0.000 | 0.00 | 147749 |
| RG-20516-S-3 | Buckman #5 | 0.000 | 0.00 | 14263 |
| RG-20516-S-4 | Buckman #6 | 0.004 | 0.01 | 54900 |
| RG-20516-S-5 | Buckman #1 | 0.000 | 0.00 | 294269 |
| RG-20516-S-6 | Buckman #2 | 0.000 | 0.00 | 1499 |
| RG-20516-S-7 | Buckman #7 | 0.000 | 0.00 | 86113 |
| RG-20516-S-8 | Buckman #8 | 0.000 | 0.00 | 107142 |
| RG-20516-S-9 | Buckman #9 | 0.000 | 0.00 | 25582 |
| RG-20516-S-10 | Buckman #10 | 0.000 | 0.00 | 62354 |
| RG-20516-S-11 | Buckman #11 | 0.000 | 0.00 | 110364 |
| RG-20516-S-12 | Buckman #12 | 0.000 | 0.00 | 75187 |
| RG-20516-S-13 | Buckman #13 | 0.000 | 0.00 | 95559 |
| | TOTAL BUCKMAN WELLS | 0.004 | 0.01 | |

OTHER WELLS

| | | | | |
|---|---|---|---|---|
| RG-304-S | Osage | 0.0000 | 0.0000 | 11296 |
| RG-5631 | Waste Water Well | | | |
| RG-66978 | Marty Sanchez Links | 0.0674 | 0.2068 | 8419 |
| RG-66978-S | MRC Well South | 0.0371 | 0.1139 | 3302 |
| | TOTAL OTHER WELLS | 0.1045 | 0.3207 | |

All of the following data is for the end of the month.

WELL DEPTHS

| Permit # | | Depth |
|---|---|---|
| N/A | Permit | Feet |
| RG-20516-S-9 | Buckman #9 | 150.55 Feet |
| RG-20516-S-10 | Buckman #10 | 333.00 Feet |
| RG-20516-S-11 | Buckman #11 | 392.95 Feet |
| RG-20516-S-12 | Buckman #12 | 397.54 Feet |
| RG-20516-S-13 | Buckman #13 | 313.22 Feet |
| RG-21318 | Skillet | 193.25 Feet |
| RG-68302 | Northwest | 436.60 Feet |

CANYON INFORMATION

| | MG Current | MG Last Year | Ac.Ft Current | AC.Ft Last Year |
|---|---|---|---|---|
| McClure (1061 MG/3257 Ac.Ft. Capacity) | 589 | 0 | 1807.7 | 0.0 |
| Nichols (223 MG/684 Ac.Ft. Capacity) | 133 | 185 | 408.6 | 568.3 |
| Total (1284 MG/3941 Ac.Ft. Capacity) | 722 | 185 | 2216.3 | 568.3 |
| Acequia Ditch Release | 2.187 | 2.568 | 6.71 | 7.88 |
| Average Daily Flow into McClure | 5.877 | 5.845 | 18.04 | 17.94 |

RECEIVED
OFFICE OF STATE ENGINEER
SANTA FE NEW MEXICO
DATE 5/10/16

Sincerely,

Nick A Schiavo
Director, Sangre De Cristo Water

cc: Mike Johnson, OSE
Doug Rappuhn, OSE
Annie Apodaca, USFS
Flora Martinez, SDCW Div.
Marcos Martinez, COSF

SANGRE DE CRISTO WATER

MONTHLY WATER REPORT IN ACRE FEET

April 2016

| | Current month | Previous month | This Month Last Year | Current y-t-d | Previous y-t-d |
|---|---|---|---|---|---|
| Surface Production | | | | | |
| Treatment Plant | 44.05 | 90.20 | 387.86 | 463.58 | 1132.01 |
| St. Michaels | 0.00 | 0.07 | 31.85 | 0.07 | 71.00 |
| TOTAL | 44.05 | 90.27 | 419.71 | 463.64 | 1203.01 |
| CITY WELL PRODUCTION | | | | | |
| Agua Fria | 0.00 | 0.00 | 0.00 | 0.00 | 0.35 |
| Alto | 0.00 | 0.00 | 1.95 | 0.00 | 2.10 |
| Ferguson | 0.00 | 0.00 | 2.07 | 0.00 | 2.26 |
| Santa Fe | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Torreon | 10.09 | 0.00 | 8.23 | 10.09 | 15.96 |
| Northwest | 0.00 | 0.00 | 42.88 | 120.30 | 80.68 |
| TOTAL | 10.09 | 0.00 | 55.14 | 130.39 | 101.34 |
| Osage | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| BUCKMAN WELL PRODUCTION | | | | | |
| Buckman #1 | 0.00 | 13.10 | 91.75 | 55.64 | 91.75 |
| Buckman #2 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Buckman #3 | 0.00 | 0.00 | 19.19 | 0.00 | 19.19 |
| Buckman #4 | 0.00 | 0.00 | 4.81 | 0.00 | 4.81 |
| Buckamn #5 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Buckman #6 | 0.01 | 5.13 | 79.94 | 5.14 | 79.94 |
| Buckman #7 | 0.00 | 0.00 | 0.80 | 0.00 | 0.80 |
| Buckman #8 | 0.00 | 3.38 | 2.72 | 3.43 | 2.73 |
| Buckman #9 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Buckman #10 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Buckman #11 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Buckman #12 | 0.00 | 0.01 | 19.41 | 0.01 | 19.41 |
| Buckman #13 | 0.00 | 0.00 | 16.56 | 0.00 | 16.56 |
| TOTAL | 0.01 | 21.62 | 235.17 | 64.22 | 235.19 |

RECEIVED
OFFICE OF STATE ENGINEER
SANTA FE NEW MEXICO
DATE 5/10/16

CANYON INFORMATION - Reservoir information as recorded last Day in the month

| RESERVOIR | Current Month | Previous Month | This Month Last Year |
|---|---|---|---|
| MCCLURE (1061 MG Capacity) | 1807.73 | 1333.28 | 0.00 |
| NICHOLS (223 MG Capacity) | 408.62 | 404.17 | 568.30 |
| TOTAL STORAGE | 2216.35 | 1737.45 | 568.30 |
| ACEQUIA DITCH RELEASE | 6.71 | 0.00 | 7.88 |
| AVERAGE DAILY FLOW INTO MCCLURE | 18.04 | 11.51 | 17.94 |

Signed _____, Sangre De Cristo Water - Operations Manager

Signed _____, Sangre De Cristo Water - Director

SANGRE DE CRISTO WATER

MONTHLY WATER REPORT IN MILLIONS OF GALLONS

April 2016

| | Current month | Previous month | This Month Last Year | Current y-t-d | Previous y-t-d |
|---|---|---|---|---|---|
| Surface Production | | | | | |
| Treatment Plant | 14.354 | 29.392 | 126.385 | 151.057 | 368.866 |
| St. Michaels | 0.000 | 0.022 | 10.377 | 0.022 | 23.137 |
| TOTAL | 14.354 | 29.414 | 136.762 | 151.079 | 392.003 |
| CITY WELL PRODUCTION | | | | | |
| Agua Fria | 0.000 | 0.000 | 0.000 | 0.000 | 0.113 |
| Alto | 0.000 | 0.000 | 0.635 | 0.000 | 0.684 |
| Ferguson | 0.000 | 0.000 | 0.676 | 0.000 | 0.735 |
| Santa Fe | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Torreon | 3.288 | 0.000 | 2.683 | 3.288 | 5.202 |
| Northwest | 0.000 | 0.000 | 13.974 | 39.200 | 26.289 |
| TOTAL | 3.288 | 0.000 | 17.968 | 42.488 | 33.023 |
| Osage | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| BUCKMAN WELL PRODUCTION | | | | | |
| Buckman #1 | 0.000 | 4.269 | 29.896 | 18.131 | 29.896 |
| Buckman #2 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Buckman #3 | 0.000 | 0.000 | 6.253 | 0.000 | 6.253 |
| Buckman #4 | 0.000 | 0.000 | 1.568 | 0.000 | 1.568 |
| Buckamn #5 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Buckman #6 | 0.004 | 1.671 | 26.048 | 1.675 | 26.048 |
| Buckman #7 | 0.000 | 0.000 | 0.262 | 0.000 | 0.262 |
| Buckman #8 | 0.000 | 1.101 | 0.885 | 1.117 | 0.891 |
| Buckman #9 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Buckman #10 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Buckman #11 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Buckman #12 | 0.000 | 0.004 | 6.324 | 0.004 | 6.324 |
| Buckman #13 | 0.000 | 0.000 | 5.395 | 0.000 | 5.395 |
| TOTAL | 0.004 | 7.045 | 76.631 | 20.927 | 76.637 |

RECEIVED
OFFICE OF STATE ENGINEER
SANTA FE NEW MEXICO
DATE 5/10/16

CANYON INFORMATION - Reservoir information as recorded last Day in the month

| RESERVOIR | Current Month | Previous Month | This Month Last Year |
|---|---|---|---|
| MCCLURE (1061 MG Capacity) | 589 | 434 | 0 |
| NICHOLS (223 MG Capacity) | 133 | 132 | 185 |
| TOTAL STORAGE | 722 | 566 | 185 |
| ACEQUIA DITCH RELEASE | 2.187 | 0.000 | 2.568 |
| AVERAGE DAILY FLOW INTO MCCLURE | 5.877 | 3.750 | 5.845 |

Signed _____, Sangre De Cristo Water - Operations Manager

Signed _____, Sangre De Cristo Water - Director

# Northwest

Report Date: 04/01/2016

| Date | NW Mtr Flow Mgd Formula | NW Mtr HoursRan HRS/DAY Formula | NW Mtr Flow Gpm Formula | NW Mtr Hour Meter Daily | NW Mtr Flow Meter Daily | NW Mtr Well Depth |
|---|---|---|---|---|---|---|
| 04/01 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/02 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/03 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/04 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/05 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/06 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/07 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/08 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/09 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/10 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/11 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/12 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/13 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/14 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/15 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/16 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/17 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/18 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/19 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/20 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/21 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/22 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/23 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/24 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/25 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/26 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/27 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/28 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/29 | 0.000 | 0.0 | | 8370 | 434115 | |
| 04/30 | 0.000 | 0.0 | | 8370 | 434115 | 436.60 |
| **Total** | **0.000** | **0.0** | | | | |

RECEIVED
OFFICE OF STATE ENGINEER
SANTA FE NEW MEXICO
DATE 5/10/16

Created by: _____ Date: 5/4/2016

# Well 10

Report Date: 04/01/2016

| Date | BW10 Mtr Flow Mgd | BW10 Mtr HRS/DAY | BW10 Mtr Flow Gpm | BW10 Mtr Hour Readings | BW10 Mtr Meter | BW10 Mtr Well Depth |
|---|---|---|---|---|---|---|
| 04/01 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/02 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/03 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/04 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/05 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/06 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/07 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/08 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/09 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/10 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/11 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/12 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/13 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/14 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/15 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/16 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/17 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/18 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/19 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/20 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/21 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/22 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/23 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/24 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/25 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/26 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/27 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/28 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/29 | 0.000 | 0.0 | | 2501 | 62354 | |
| 04/30 | 0.000 | 0.0 | | 2501 | 62354 | 333.00 |
| **Total** | **0.000** | **0.0** | | | | |

RECEIVED
OFFICE OF STATE ENGINEER
SANTA FE NEW MEXICO
DATE 5/10/16

Created by: _____ Date: 5/4/2016

# Well 11

Report Date: 04/01/2016

| Date | BW11 Mtr Flow Mgd | BW11 Mtr HRS/DAY | BW11 Mtr Flow Gpm | BW11 Mtr Hour Readings | BW11 Mtr Meter | BW11 Mtr Well Depth |
|---|---|---|---|---|---|---|
| 04/01 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/02 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/03 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/04 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/05 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/06 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/07 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/08 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/09 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/10 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/11 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/12 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/13 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/14 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/15 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/16 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/17 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/18 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/19 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/20 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/21 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/22 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/23 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/24 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/25 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/26 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/27 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/28 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/29 | 0.000 | 0.0 | | 7945 | 110364 | |
| 04/30 | 0.000 | 0.0 | | 7945 | 110364 | 392.95 |
| **Total** | **0.000** | **0.0** | | | | |

RECEIVED
OFFICE OF STATE ENGINEER
SANTA FE NEW MEXICO
DATE 5/10/16

Created by: _____ Date: 5/4/2016

# Well 12

Report Date: 04/01/2016

| Date | BW12 Mtr Flow Mgd | BW12 Mtr HRS/DAY | BW12 Mtr Flow Gpm | BW12 Mtr Hour Readings | BW12 Mtr Meter | BW12 Mtr Well Depth |
|---|---|---|---|---|---|---|
| 04/01 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/02 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/03 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/04 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/05 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/06 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/07 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/08 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/09 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/10 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/11 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/12 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/13 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/14 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/15 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/16 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/17 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/18 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/19 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/20 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/21 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/22 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/23 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/24 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/25 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/26 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/27 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/28 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/29 | 0.000 | 0.0 | | 7569 | 75187 | |
| 04/30 | 0.000 | 0.0 | | 7569 | 75187 | 397.54 |
| **Total** | **0.000** | **0.0** | | | | |

RECEIVED
OFFICE OF STATE ENGINEER
SANTA FE NEW MEXICO
DATE 5/10/16

Created by: _____ Date: 5/4/2016

# Well 13

Report Date: 04/01/2016

| Date | BW13 Mtr Flow Mgd | BW13 Mtr HRS/DAY | BW13 Mtr Flow Gpm | BW13 Mtr Hour Readings | BW13 Mtr Meter | BW13 Mtr Well Depth |
|---|---|---|---|---|---|---|
| 04/01 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/02 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/03 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/04 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/05 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/06 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/07 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/08 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/09 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/10 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/11 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/12 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/13 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/14 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/15 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/16 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/17 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/18 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/19 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/20 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/21 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/22 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/23 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/24 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/25 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/26 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/27 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/28 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/29 | 0.000 | 0.0 | | 4092 | 95559 | |
| 04/30 | 0.000 | 0.0 | | 4092 | 95559 | 313.22 |
| **Total** | **0.000** | **0.0** | | | | |

RECEIVED
OFFICE OF STATE ENGINEER
SANTA FE NEW MEXICO
DATE 5/10/16

Created by: _____ Date: 5/4/2016

# Well 9

Report Date: 04/01/2016

| Date | BW9 Mtr Flow Mgd | BW9 Mtr HRS/DAY | BW9 Mtr Flow Gpm | BW9 Mtr Hour Readings | BW9 Mtr Meter | BW9 Mtr Well Depth |
|---|---|---|---|---|---|---|
| 04/01 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/02 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/03 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/04 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/05 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/06 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/07 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/08 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/09 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/10 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/11 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/12 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/13 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/14 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/15 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/16 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/17 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/18 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/19 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/20 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/21 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/22 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/23 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/24 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/25 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/26 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/27 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/28 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/29 | 0.000 | 0.0 | | 800 | 25582 | |
| 04/30 | 0.000 | 0.0 | | 800 | 25582 | 150.55 |
| **Total** | **0.000** | **0.0** | | | | |

RECEIVED
OFFICE OF STATE ENGINEER
SANTA FE NEW MEXICO
DATE 5/18/16

Created by: _____ Date: 5/4/2016

SANGRE DE CRISTO WATER

Monthly Well Report

April 2016

| | Alto | Torreon | Ferguson | Santa Fe | Agua Fria | Northwest | Osage |
|---|---|---|---|---|---|---|---|
| Depth | 197.33 | 227.18 | 229.31 | 289.70 | 166.97 | 436.60 | 115.45 |
| Status | OFF | ON | OFF | OFF | OFF | OFF | OFF |

| | St. Mikes | Well 1 | Well 2 | Well 3 | Well 4 | Well 5 | Well 6 |
|---|---|---|---|---|---|---|---|
| Depth | 246.51 | 100.80 | 100.19 | 140.98 | 47.62 | 132.85 | 113.52 |
| Status | OFF | OFF | OFF | OFF | OFF | OFF | OFF |

| | Well 7 | Well 8 | Well 9 | Well 10 | Well 11 | Well 12 | Well 13 |
|---|---|---|---|---|---|---|---|
| Depth | 162.44 | 60.98 | 150.55 | 333.00 | 392.95 | 397.54 | 313.22 |
| Status | OFF | OFF | OFF | OFF | OFF | OFF | OFF |

| | Skillet | Permit | Hickox 1 | Hickox 2 | Weil |
|---|---|---|---|---|---|
| Depth | 193.25 | | 213.00 | 202.10 | |

RECEIVED
OFFICE OF STATE ENGINEER
SANTA FE NEW MEXICO
DATE 5/10/16

cc:Doug Rappuhn,OSE

# BDD Production Summary
# April 2016

| Date | Booster 4A MGD | Booster 5A MGD | Total BDD MGD | Total BDD Ac.Ft. | BOOSTER 4A Cl2 Free mg/L | BOOSTER 4A pH S.U. | BOOSTER 4A Fl mg/L | BOOSTER 4A Zinc mg/L | BOOSTER 5A Cl2 Free mg/L | BOOSTER 5A pH S.U. | BOOSTER 5A Fl mg/L | BOOSTER 5A Zinc mg/L |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 01-Apr | 4.417 | 1.430 | 5.847 | 17.942 | 1.26 | 7.8 | 0.39 | 0.5 | 1.08 | 7.8 | 0.37 | 0.5 |
| 02-Apr | 4.418 | 1.351 | 5.769 | 17.701 | 0.96 | 7.8 | 0.38 | 0.5 | 0.85 | 7.8 | 0.37 | 0.5 |
| 03-Apr | 4.308 | 1.410 | 5.718 | 17.545 | 0.93 | 7.8 | 0.38 | 0.5 | 1.05 | 7.8 | 0.36 | 0.5 |
| 04-Apr | 4.283 | 1.447 | 5.730 | 17.583 | 1.08 | 7.7 | 0.38 | 0.5 | 1.18 | 7.8 | 0.36 | 0.5 |
| 05-Apr | 4.924 | 1.423 | 6.347 | 19.474 | 0.99 | 7.7 | 0.38 | 0.5 | 1.14 | 7.8 | 0.36 | 0.5 |
| 06-Apr | 4.924 | 1.466 | 6.390 | 19.607 | 0.97 | 7.9 | 0.40 | 0.5 | 1.03 | 7.8 | 0.38 | 0.5 |
| 07-Apr | 4.923 | 1.433 | 6.356 | 19.504 | 0.97 | 7.8 | 0.42 | 0.5 | 1.00 | 7.8 | 0.39 | 0.5 |
| 08-Apr | 4.924 | 1.386 | 6.310 | 19.361 | 1.03 | 7.7 | 0.41 | 0.5 | 1.05 | 7.8 | 0.39 | 0.5 |
| 09-Apr | 4.924 | 1.347 | 6.271 | 19.241 | 1.08 | 7.8 | 0.42 | 0.5 | 1.16 | 7.8 | 0.39 | 0.5 |
| 10-Apr | 4.549 | 1.345 | 5.894 | 18.086 | 0.96 | 7.8 | 0.42 | 0.5 | 1.05 | 7.7 | 0.39 | 0.5 |
| 11-Apr | 4.418 | 1.356 | 5.774 | 17.718 | 1.11 | 7.7 | 0.41 | 0.5 | 1.17 | 7.7 | 0.38 | 0.5 |
| 12-Apr | 4.407 | 1.310 | 5.717 | 17.542 | 1.20 | 7.7 | 0.40 | 0.5 | 1.11 | 7.7 | 0.37 | 0.5 |
| 13-Apr | 3.470 | 1.479 | 4.948 | 15.184 | 1.09 | 7.6 | 0.40 | 0.5 | 2.22 | 7.6 | 0.37 | 0.5 |
| 14-Apr | 3.778 | 1.466 | 5.243 | 16.090 | 1.05 | 7.6 | 0.40 | 0.5 | 1.02 | 7.7 | 0.38 | 0.5 |
| 15-Apr | 4.934 | 1.465 | 6.399 | 19.636 | 0.97 | 7.8 | 0.42 | 0.5 | 0.61 | 7.8 | 0.39 | 0.5 |
| 16-Apr | 5.543 | 1.379 | 6.922 | 21.240 | 1.50 | 7.9 | 0.43 | 0.5 | 0.66 | 7.8 | 0.38 | 0.5 |
| 17-Apr | 5.915 | 1.354 | 7.268 | 22.303 | 1.31 | 7.8 | 0.41 | 0.5 | 1.26 | 7.7 | 0.39 | 0.5 |
| 18-Apr | 5.917 | 1.371 | 7.288 | 22.363 | 1.08 | 7.9 | 0.42 | 0.5 | 0.91 | 7.8 | 0.38 | 0.5 |
| 19-Apr | 5.917 | 1.334 | 7.251 | 22.249 | 1.08 | 7.7 | 0.42 | 0.5 | 1.29 | 7.7 | 0.39 | 0.5 |
| 20-Apr | 5.917 | 1.359 | 7.276 | 22.326 | 0.99 | 7.7 | 0.44 | 0.5 | 1.15 | 7.6 | 0.40 | 0.5 |
| 21-Apr | 5.916 | 1.439 | 7.355 | 22.570 | 0.84 | 8.0 | 0.42 | 0.5 | 0.76 | 8.0 | 0.38 | 0.5 |
| 22-Apr | 5.916 | 1.516 | 7.433 | 22.808 | 1.02 | 7.9 | 0.38 | 0.5 | 1.18 | 7.8 | 0.36 | 0.5 |
| 23-Apr | 5.917 | 1.501 | 7.417 | 22.760 | 0.97 | 7.8 | 0.36 | 0.5 | 1.13 | 7.8 | 0.34 | 0.5 |
| 24-Apr | 5.916 | 1.451 | 7.367 | 22.606 | 1.09 | 7.7 | 0.35 | 0.5 | 1.17 | 7.7 | 0.33 | 0.5 |
| 25-Apr | 6.990 | 1.528 | 8.518 | 26.138 | 1.08 | 7.9 | 0.34 | 0.5 | 1.13 | 7.7 | 0.32 | 0.5 |
| 26-Apr | 7.020 | 1.427 | 8.447 | 25.920 | 0.95 | 7.7 | 0.35 | 0.5 | 1.19 | 7.8 | 0.33 | 0.5 |
| 27-Apr | 6.910 | 1.556 | 8.465 | 25.976 | 1.22 | 7.7 | 0.35 | 0.5 | 1.32 | 7.7 | 0.33 | 0.5 |
| 28-Apr | 6.910 | 1.425 | 8.334 | 25.573 | 0.88 | 7.8 | 0.36 | 0.5 | 0.84 | 7.7 | 0.33 | 0.5 |
| 29-Apr | 6.909 | 1.442 | 8.352 | 25.628 | 1.07 | 7.9 | 0.35 | 0.5 | 1.15 | 7.8 | 0.33 | 0.5 |
| 30-Apr | 6.910 | 1.457 | 8.367 | 25.675 | 1.06 | 7.9 | 0.36 | 0.5 | 1.21 | 7.8 | 0.33 | 0.5 |
| **TOTAL** | **162.122** | **42.651** | **204.773** | **628.348** | | | | | | | | |

RECEIVED
OFFICE OF STATE ENGINEER
SANTA FE NEW MEXICO
DATE 5/10/16