

Addendum No. 3 Airport Terminal Improvements RFB '16/14/B

CIP Project #611B

November 9, 2015

This Addendum has 4 pages,
including this first page

Addendum to the Request for Bids:

1. This Addendum forms a part of the Contract Documents and modifies the original Request for Bids issued October 13, 2015. Acknowledge receipt of this Addendum in the space provided on the Bid Form. All other provisions of the Request for Bids '16/14/B shall remain unchanged unless expressly noted herein.
2. Addendum shall be distributed to the general contractors who attended the pre-bid meeting and anyone on the plan holders list, via email. Recipients of this addendum shall confirm receipt of this issued addendum by email.


Questions Submitted:

1. Please confirm there is no new conveyor equipment required.
ANSWER: Yes. Existing conveyor belt and rollers are to be re-installed per new configurations and slopes. Additional rollers are needed to complete new configurations.
2. What are the dimensions of the Wall Covering 09-7200 at the Counter Wall 117?
ANSWER: Wall covering approximately 42'-0" x 7'-6", will need field verification.
3. Are there roof modifications required on an existing warranted roofing system?
ANSWER: Yes.
4. Has the roofer been notified?
ANSWER: No. The roof warranty is attached, 3 pages.
5. Would the Owner coordinate that work?
ANSWER: No, this work is part of the bid.
6. In reference to C-101 Keyed Note 4, how thick is the concrete between the apron and the building?
ANSWER: The apron proper is 10" concrete (as noted), unreinforced, except by tie bars and dowels at the joints. The existing concrete sections between the apron and the building are built up in 2 layers. Each of these layers are presumed to be up to 6" deep with welded wire reinforcing.

All other provisions of the Contract Documents shall remain unchanged. This Addendum is hereby made a part of the Contract Documents to the same extent as those contained in the original documents and all itemized listings thereof.

Each Bidder shall acknowledge receipt of this Addendum on the Bid Form in the space provided.

MOLZEN CORBIN


For:
John Quinn Pate, R.A. / R.L.A.

RED SHIELD WARRANTY



RED SHIELD ROOFING SYSTEM LIMITED WARRANTY

Warranty No: RD076313

FBPCO #KB0366

Square Footage: 9100 s.f.

Building Owner: CITY OF SANTA FE

Building Identification: SANTA FE MUNICIPAL AIRPORT

Building Address: 121 AVIATION DR., SANTA FE, NM, 87507

Warranty Period Of: FIFTEEN (15) Years Beginning on: 04/10/08

Roofing Contractor: SUPREME ROOFING CO. (07817)

For the warranty period indicated above, Firestone Building Products Company, LLC ("Firestone"), an Indiana limited liability company, warrants to the Building Owner ("Owner"), named above that Firestone will, subject to the Terms, Conditions and Limitations set forth below, repair any leak in the Firestone Roofing System ("System").

TERMS, CONDITIONS AND LIMITATIONS

- Products Covered.** The System shall mean only the Firestone brand roofing membranes, Firestone brand roofing insulations, Firestone brand roofing metal, and other Firestone brand roofing accessories when installed in accordance with Firestone technical specifications by a Firestone-licensed applicator.
- Notice.** In the event any leak should occur in the System, the Owner must give notice in writing or by telephone to Firestone within thirty (30) days of any occurrence of a leak. Written notice may be sent to Firestone at the street address or fax number shown on the reverse side of this Limited Warranty. Evidence of this notice shall be the receipt by Owner of a Firestone Leak Notification Acknowledgement. By so notifying Firestone, the Owner authorizes Firestone or its designee to investigate the cause of the leak.
- Investigation.** If upon investigation, Firestone determines that the leak is not excluded under the Terms, Conditions and Limitations set forth in this Red Shield Roofing System Limited Warranty (the "Limited Warranty"), the Owner's sole and exclusive remedy and Firestone's total liability shall be limited to the repair of the leak. Should the investigation reveal that the leak is excluded under the Terms, Conditions and Limitations, the Owner shall be responsible for payment of the investigation costs. Failure by Owner to pay for these costs shall render this Limited Warranty null and void. Firestone will advise the Owner of the type and/or extent of repairs required to be made at the Owner's expense that will permit this Limited Warranty to remain in effect for the unexpired portion of its term. Failure by the Owner to properly make these repairs in a reasonable manner using a Firestone-licensed applicator and within 60 days shall render this Limited Warranty null and void.
- Disputes.** Any dispute, controversy or claim between the Owner and Firestone concerning this Limited Warranty shall be settled by mediation. In the event that the Owner and Firestone do not resolve the dispute, controversy or claim in mediation, the Owner and Firestone agree that neither party will commence or prosecute any suit, proceeding, or claim other than in the courts of Hamilton County in the state of Indiana or the United States District Court, Southern District of Indiana, Indianapolis Division. Each party irrevocably consents to the jurisdiction and venue of the above-identified courts.
- Payment Required.** Firestone shall have no obligation under this Limited Warranty unless and until Firestone and the licensed applicator have been paid in full for all materials, supplies, services, approved written change orders, warranty costs and other costs which are included in, or incidental to, the System. In the event that repairs not covered by this Limited Warranty are necessary in the future, Firestone reserves the right to suspend this Limited Warranty until such repairs have been completed and the licensed applicator and/or Firestone has been paid in full for such repairs.
Exclusions. Firestone shall have no obligation under this Limited Warranty, or any other liability, now or in the future if a leak or damage is caused by: (a) Natural forces, disasters, or acts of God including, but not limited to, winds in excess of 55 MPH, fires, hurricanes, tornadoes, hail, wind-blown debris, lightning, earthquakes, volcanic activity, atomic radiation, insects or animals; (b) Any act(s), conduct or omission(s) by any person, or act(s) of war, terrorism or vandalism, which damage the System or which impair the System's ability to resist leaks; (c) Failure by the Owner to use reasonable care in maintaining the System, said maintenance to include, but not limited to those items listed on the reverse side of this Limited Warranty titled "Building Envelope Care and Maintenance Guide"; (d) Deterioration or failure of building components, including, but not limited to, the roof substrate, walls, mortar, HVAC units, etc.; (e) Condensation or infiltration in, through, or around the walls, copings, rooftop, hardware or equipment, building structure or underlying or surrounding materials; (f) Any acid, oil, harmful chemical, chemical or physical reaction and the like which comes in contact with the System, which damages the System, or which impairs the System's ability to resist leaks; (g) Alterations or repairs to the System that are not completed in accordance with our published specifications, not completed by licensed contractor, and/or where current notification procedures were not followed; (h) The architecture, engineering, construction, or design of the roof, roofing system, or building. Firestone does not undertake any analysis of the architecture or engineering required to evaluate what type of roof system is appropriate; (i) A change in building use or purpose; (j) Deterioration to metal roofing materials and accessories caused by marine salt water atmosphere or by regular spray of either salt or fresh water; or (k) Failure to give proper notice as set forth in paragraph 2(a) above.
- Transfer.** This Limited Warranty shall be transferable subject to Owner's payment of the current transfer fee set by Firestone.
- Term.** The term of this Limited Warranty shall be for the period set forth above and such term shall not be extended under any circumstances.
- Roof Access.** During the term of this Limited Warranty, Firestone's designated representative or employees shall have free access to the roof during regular business hours. In the event that roof access is limited due to security or other restrictions, Owner shall reimburse Firestone for all reasonable cost incurred during inspection and/or repair of the System that are due to delays associated with said restrictions. Owner shall be responsible for the damage caused by, removal and replacement of any overburdens, superstrata or overlays, either permanent or temporary, excluding accepted stone ballast or pavers, as necessary to expose the system for inspection and/or repair.
- Waiver.** Firestone's failure to enforce any of the terms or conditions stated herein shall not be construed as a waiver of such provision or of any other terms and conditions of this Limited Warranty.
- Governing Law.** This Limited Warranty shall be governed by and construed in accordance with the laws of the State of Indiana without regard to that State's rules on conflict of laws.
- Severability.** If any portion of this Limited Warranty is held by a court of competent jurisdiction to be invalid, void or unenforceable, the remaining provisions shall nevertheless continue in full force.


FIRESTONE DOES NOT WARRANT PRODUCTS INCORPORATED OR UTILIZED IN THIS INSTALLATION THAT WERE NOT FURNISHED BY FIRESTONE. FIRESTONE SPECIFICALLY DISCLAIMS LIABILITY UNDER ANY THEORY OF LAW ARISING OUT OF THE INSTALLATION OF, PERFORMANCE OF, OR DAMAGES SUSTAINED BY OR CAUSED BY, PRODUCTS NOT FURNISHED BY FIRESTONE.

THIS LIMITED WARRANTY SUPERSEDES AND IS IN LIEU OF ALL OTHER WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND FIRESTONE HEREBY DISCLAIMS ALL SUCH WARRANTIES. THIS LIMITED WARRANTY SHALL BE THE OWNER'S SOLE AND EXCLUSIVE REMEDY AGAINST FIRESTONE, AND FIRESTONE SHALL NOT BE LIABLE FOR ANY CONSEQUENTIAL, SPECIAL, INCIDENTAL OR OTHER DAMAGES INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS OR DAMAGES TO THE BUILDING OR ITS CONTENTS OR THE ROOF DECK. THIS LIMITED WARRANTY CANNOT BE AMENDED, ALTERED OR MODIFIED IN ANY WAY EXCEPT IN WRITING SIGNED BY AN AUTHORIZED OFFICER OF FIRESTONE. NO OTHER PERSON HAS ANY AUTHORITY TO BIND FIRESTONE WITH ANY REPRESENTATION OR WARRANTY WHETHER ORAL OR WRITTEN.

FIRESTONE BUILDING PRODUCTS COMPANY, LLC

Firestone

By: **John R. Geary**



Authorized
Signature: _____

Title: **VP of Quality, Technology & Product Development**

040907



310 East 96th Street – Indianapolis, IN 46240
1-800-428-4442 * 1-317-575-7000 * FAX 1-317-575-7100
www.firestonebp.com

RED SHIELD WARRANTY



BUILDING ENVELOPE CARE AND MAINTENANCE GUIDE (For Red Shield Warranted Roofing Systems)

Congratulations on your purchase of a Firestone Roofing System! Your roof is a valuable asset that should be properly maintained. **All roofs and roofing systems require periodic inspection and maintenance to perform as designed and to keep your Limited Warranty in full force and effect.**

1. The roof should be inspected at least twice yearly and after any severe storms. A record of all inspection and maintenance activities should be maintained, including a listing of the date and time of each activity as well as the identification of the parties performing the activity.
2. Proper maintenance and good roofing practice require that ponded water (defined as water standing on the roof forty-eight hours after it stops raining) not be allowed on the roof. Roofs should have slope to drain, and all drain areas must remain clean. Bag and remove all debris from the roof since such debris can be quickly swept into drains by rain. This will allow for proper water run-off and avoid overloading the roof.
3. The Firestone Roofing System should not be exposed to acids, solvents, greases, oil, fats, chemicals and the like. If the Firestone Roofing System is in contact with any such materials, these contaminants should be removed immediately and any damaged areas should be inspected by a Firestone Licensed Applicator and repaired if necessary.
4. The Firestone Roofing System is designed to be a waterproofing membrane and not a traffic surface. Roof traffic other than periodic traffic to maintain rooftop equipment and conduct periodic inspections should be prohibited. In any areas where periodic roof traffic may be required to service rooftop equipment or to facilitate inspection of the roof, protective walkways should be installed by a Firestone Licensed Applicator as needed to protect the roof surface from damage.
5. Some Firestone roofing membranes require maintenance of the surface of the membrane:
 - a. **Smooth-surfaced Firestone APP membranes** should be coated with an approved liquid coating, such as Firestone Aluminum Roof Coating or Firestone AcryliTop applied in accordance with Firestone specifications, in order to maximize the service life of the membrane. If this coating is not applied as part of the initial roofing installation, it should be applied within the first five years after the roof is installed to help protect the membrane from surface crazing and cracking. In addition, this coating should be maintained as needed to re-coat any areas that have blistered, peeled or worn through.
 - b. **Granule-surfaced Firestone APP and SBS membranes** do not normally require surface maintenance other than periodic inspection for contaminants, cuts or punctures. If areas of granular loss are discovered during inspection, these areas should be coated with Firestone AcryliTop or other Firestone-approved coating applied in accordance with Firestone specifications.
 - c. **Gravel-surfaced Firestone BUR membranes** do not normally require surface maintenance other than periodic inspection for contaminants or damage. If areas of gravel loss are discovered during inspection, gravel must be reinstalled into hot asphalt to protect the surface of the membrane. Coatings on smooth surface BUR membranes must be maintained as needed to re-coat any areas that have blistered, peeled or worn through.
 - d. **Firestone EPDM and TPO roofing membranes** do not normally require surface maintenance other than periodic inspection for contaminants, cuts or punctures. Occasionally, approved liquid roof coatings, such as Firestone AcryliTop, are applied to the surface of EPDM membranes in order to provide a lighter surface color. Such coatings do not need to be maintained to assure the performance of the underlying EPDM roof membrane, but some maintenance and re-coating may be necessary in order to maintain a uniform surface appearance.
 - e. **Firestone Una-Clad metal roofing panels and trim** do not normally require surface maintenance other than periodic inspection for contaminants or damage. In addition, periodic cleaning of the surface may be required to remove dirt and maintain the aesthetic appearance of the coated metal. Simple washing with plain water using hoses or pressure spray equipment is usually adequate. If cleaning with agents other than water is contemplated, several precautions should be observed: (1) do not use wire brushes, abrasives, or similar cleaning tools which will mechanically abrade the coating surface, and (2) cleaning agents should be tested in an inconspicuous area before use on a large scale.
6. All metal work, including counter-flashings, drains, skylights, equipment curbs and supports, and other Firestone brand rooftop accessories must be properly maintained at all times. Particular attention should be paid to sealants at joints in metal work and flashings. If cracking or shrinkage is observed, the joint sealant should be removed and replaced with new sealant.
7. Any alterations to the roof, including but not limited to roof curbs, pipe penetrations, roof-mounted accessories, and tie-ins to building additions must be performed by a licensed Firestone Licensed Applicator and reported to Firestone. Additional information and reporting forms for roof alterations are available at www.firestonebpc.com.
9. Should you experience a leak:
 - (a) Check for the obvious: clogged roof drains, loose counterflashings, broken skylights, open grills or vents, broken water pipes.
 - (b) Note conditions resulting in leakage. Heavy or light rain, wind direction, temperature and time of day that the leak occurs are all important clues to tracing roof leaks. Note whether the leak stops shortly after each rain or continues to drip until the roof is dry. If you are prepared with the facts, the diagnosis and repair of the leak can proceed more rapidly.
 - (c) Contact Firestone Warranty Claims at 1-800-830-5612 as soon as possible...but please don't call until you are reasonably sure that the Firestone Roofing System is the cause of the leak.

Firestone feels that the preceding requirements will assist you, the building owner, in maintaining a watertight roof for many years. Your roof is an investment, and maintenance is essential to maximize your return on this important investment.

Firestone