

23/01/B BDD WATER TESTING COST RESPONSE

1	2	3	4	5	6	7	8
Item	Analytes	Method	Sub-Contractor	Proposed Alternative Method	Proposed MDL/RL (% MUST be submitted)	Cost for Water Sample/Required Volume (Cost MUST be submitted)	Cost for Solid Sample (Cost MUST be Submitted)
1	Gross alpha	EPA:900.0			%	\$	\$
2	Gross beta	EPA:900.0			%	\$	\$
3	Strontium-90	ASTM 5811			%	\$	\$
4	Americium-241	HASL-300:AM-241			%	\$	\$
	Radionuclides by gamma spec	EPA:901.1					
6	Ac-228	EPA:901.1			%	\$	\$
7	Bi-212	EPA:901.1			%	\$	\$
8	Bi-214	EPA:901.1			%	\$	\$
9	Cs-137	EPA:901.1			%	\$	\$
10	Cs-134	EPA:901.1			%	\$	\$
11	Co-60	EPA:901.1			%	\$	\$
12	Na-22	EPA:901.1			%	\$	\$
13	K-40	EPA:901.1			%	\$	\$
14	Pa-234m	EPA:901.1			%	\$	\$
15	Pb-212	EPA:901.1			%	\$	\$
16	Pb-214	EPA:901.1			%	\$	\$
17	Tl-208	EPA:901.1			%	\$	\$
18	Neptunium-237	HASL-300			%	\$	\$
19	Plutonium (isotopic)	HASL-300:ISOPU			%	\$	\$
20	Uranium (isotopic)	HASL-300:ISOU			%	\$	\$
21	PCBS	EPA 1668A			%	\$	\$
22	Radium-226 & 228	EPA:903.1 & EPA:904.0			%	\$	\$
23	Perchlorate	SW846 6850			%	\$	\$

24	Cyanide (special circumstances)	EPA:335.4				%	\$	\$
	Metals plus Hg							
25	Al	EPA:200.7 or 200.8				%	\$	\$
26	Sb	EPA:200.7 or 200.8				%	\$	\$
27	As	EPA:200.7 or 200.8				%	\$	\$
28	Ba	EPA:200.7 or 200.8				%	\$	\$
29	Be	EPA:200.7 or 200.8				%	\$	\$
30	B	EPA:200.7 or 200.8				%	\$	\$
31	Cd	EPA:200.7 or 200.8				%	\$	\$
32	Ca	EPA:200.7 or 200.8				%	\$	\$
33	Cr	EPA:200.7 or 200.8				%	\$	\$
34	Co	EPA:200.7 or 200.8				%	\$	\$
35	Cu	EPA:200.7 or 200.8				%	\$	\$
36	Fe	EPA:200.7 or 200.8				%	\$	\$
37	Pb	EPA:200.7 or 200.8				%	\$	\$
38	Mn	EPA:200.7 or 200.8				%	\$	\$
39	Mg	EPA:200.7 or 200.8				%	\$	\$
40	Ni	EPA:200.7 or 200.8				%	\$	\$
41	K	EPA:200.7 or 200.8				%	\$	\$
42	Se	EPA:200.7 or 200.8				%	\$	\$
43	Ag	EPA:200.7 or 200.8				%	\$	\$
44	Na	EPA:200.7 or 200.8				%	\$	\$
45	Tl	EPA:200.7 or 200.8				%	\$	\$
46	U	EPA:200.7 or 200.8				%	\$	\$
47	V	EPA:200.7 or 200.8				%	\$	\$
48	Zn	EPA:200.7 or 200.8				%	\$	\$
49	Hg	EPA: 245.2				%	\$	\$

NOTE: IN ORDER TO HAVE A RESPONSIVE BID COLUMNS 6-8 MUST BE SUBMITTED WITH A NUMERIC VALUE FOR EACH ITEM BID.